



Total weight :2204

NOTES

MATERIAL	ASTM A36 UNLESS NOTED
WELD	E70XX- ELECTRODES
OPEN HOLES	13/16 UNLESS NOTED

PAINT: PREP: SP3

PRIME: GRAY 2 MIL, DFT

FINISH:

SHOP BOLTS SNUG TIGHT (U.N.O.)
BOLTS: A325 BLACK HEX HEAD (U.N.O.)

DRAWINGS ARE SUBMITTED FOR APPROVAL IN ACCORDANCE WITH
AISC MANUAL NINTH EDITION - PAGE 5-229 PARAGRAPH 4.2
AND PAGE 5-250 SECTION 4.

REV NO	DATE	DESCRIPTION	BY							
△										
△				BY	CHKD	APPD	DATE	JOB NUMBER	SHEET NO.	26
△									REV. NO.	△



ONE VERTICAL BRACE 28VB2

[illegible]

ONE VERTICAL BRACE 28VB3

ONE VERTICAL BRACE 28VB4

Technical drawing of a structural connection between a column and a beam. The column is labeled "1-PL ρ34 N5" and has a height of "10-9 5/16". The beam is labeled "A36" and has a depth of "24-6 5/16". The connection shows a top flange with a thickness of "1 1/4" and a web with a thickness of "1/2". The beam is supported by a base plate with a thickness of "1 3/4". The drawing includes various dimensions and labels for the components and their connections.

ONE VERTICAL BRACE 28VB5

ONE VERTICAL BRACE 28VB6

[illegible]